

Subsea Responder

DPII Multi Service Vessel





THE SUBSEA RESPONDER is a DP II Multi Service Vessel with a 40t Crane with a Schilling HD 150 HP ROV and Optional Surface Air and Mixed Gas Diving. Accommodations for 57 personnel. Capable of inspection, maintenance and repair (IMR) work.

Subsea Responder



SPECIFICATIONS

► CLASSIFICATION

| American Bureau of Shipping A1, AMS, DPS-2 Marshall Islands Flag | |
|--|-----------------|
| Builder | Bender Shipyard |
| Year Built | 1998 |
| Major Refit | 2008 and 2011 |
| Port of Registry | Port of Majuro |

► MEASUREMENT

| Length Overall | 217.0 ft |
|-----------------|----------|
| Breadth Moulded | 54.0 ft |
| Depth Moulded | 20.0 ft |
| Draft (Max) | 15.5 ft |

► TONNAGE

| GRT | 2032 T |
|-----|--------|
| NRT | 609 T |

MANEUVERING & PROPULSION SYSTEM

| Main Engine | 2 x EMD 16-645-E6 1950 HP each Total |
|---------------|--------------------------------------|
| внр | 3,900 BHP |
| Z Drive Units | 2 x Kamewa Aquamaster 2001 |
| Bow Thruster | 2 x Kamewa Aquamaster TT 1650 |

DYNAMIC POSITIONING

DP-2 System Wartsila NMS6000

Sonardyne Ranger2 USBL tracking system

ELECTRIC POWER GENERATION

| Main Generator | 3 x Detroit Diesel rated 250 KW / 440 V / 60 Hz / 3 Ph 1 x CAT 3508B 910 KW / 440 V / 60 Hz / 3 Ph |
|---------------------|---|
| Emergency Generator | 1 x Detriot Diesel 75 KW / 480 V / 60 Hz / 3 Ph |
| ► CARGO DECK | |
| Deck Area | 2,771.2 ft ² |
| | |

| NAVIGATION & COMMUNICATION EQUIPMENT | |
|--------------------------------------|--|
| GMDSS (Area 3) | SE 170 |
| VHF DSC | 2 x Omni GX2400 |
| MF/HF SSB | 1 x SEA Model 2354W / 1635 tuner |
| EPIRB | 1 x Alden 406 Mhz |
| SART | 2 x McMurdo |
| Navtex Receiver | 1 x Alden Nav 5 |
| Portable GMDSS VHF | 3 x ACR model 276 |
| Inmarsat | 1 x Timble Galaxy Centinal |
| Radar | 1 x Furuno FR2115 1 x Furuno 1442 Mark Z Portable GMDSS |
| VHF | 3 x ACR Model 276 |
| Gyrocompass | 3 x TSS Meridian |
| Magnetic Compass | 1 x Cassens & Plath |
| Echo Sounder | 1 x Sitex CUS 106L MK2 |
| Speed Log | Fitted |
| Anemometer | Fitted |
| AIS | 1 x Simrad A170 |

► MISCELLANEOUS

| Oily Water Separator | 1 x Nelson 10025 |
|----------------------|---------------------|
| Sewage Treatment | 1 x 73 persons |
| Water Maker | 1 x Aquamar AQE-180 |

STORAGE CAPACITY

| Fuel Oil | 235,255 gallons |
|---------------|-----------------|
| Potable Water | 340,000 gallons |
| SW Ballast | 32,229 gallons |
| FW Ballast | 397,668 gallons |


► ACCOMMODATION

| Berth/Cabin | 3 x 1 man 1 x 2 men 13 x 4 men |
|-------------|--------------------------------------|
| Total | 57 men |

Subsea Responder



SPECIFICATIONS



SAFETY EQUIPMENT

| Life Raft | 8 x Life Rafts |
|-------------|--------------------|
| Rescue Boat | 1 x 6 persons |
| Davit | Ferri, SWL: 2 tons |

► DECK EQUIPMENT

| Subsea Crane | 1 TTS Knuckle Boom Crane 39.3 MT @ 12 m radius 19.7 MT @ 12 m radius for water depth of 2,800 m |
|-----------------|---|
| Anchor Windlass | 1 x McElroy Machine MDW 150/OSV30E Double Anchor Windlass |
| Anchor Chain | 2 x 1710 ft x 1-1/2 in (diameter) |
| Anchor (Bow) | 2 x 3473 lbs High Holding Power LWT |

► MISSION EQUIPMENT

Optional: Dive support equipment

* This vessel specification is given in good faith and assumed to be accurate at the time of print. ** Owners will not be liable for errors, omissions or misprints published. Owners reserve the right to amend this specification without notification.

ABOUT HYDRA

Hydra is a leading provider of offshore construction services, specializing in heavy lift operations, subsea construction, offshore construction, pipeline installation, subsea fabrication projects, engineering and other marine support services. Headquartered in Port Arthur, Texas on the Sabine Ship Channel, Hydra serves the oil and gas industry, academic institutions and government agencies in both domestic and select international markets.

713.818.6150 | info@hydrasubsea.com

